






REVISIONS					
ECN	ZONE	REV.	DESCRIPTION	DATE	REVISED BY
-	-	A	INITIAL RELEASE	11/21/2025	-

SPRING CHARACTERISTICS BOTTOM
 MEAN DIAMETER: [3.81]0.15
 TOP MEAN DIAMETER: [2.54] 0.10
 ACTIVE COILS: 2.5
 TOTAL COILS: 3.0



NOTES:

MATERIAL: SPRING STEEL
FINISH: NICKEL
WIRE GAUGE: 0.012
SPRING RATE: 6.1 LB/IN
COMPRESSION HEIGHT: 0.015
MAX FORCE: 0.6 LB

APPROVALS DRAWN: JV CHECKED:		DATE 11/21/2025	 MEMORY PROTECTION DEVICES, INC. <small>Certified Global Manufacturer of Electronic Components</small> 200 Broadhollow Road, Suite 4 Farmingdale, NY 11735 (631) 249-0001 / Fax (631) 249-0002 www.memoryprotectiondevices.com
DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES DIMENSIONS TOLERANCE X.XX ±.010 X.XXX ±.005 ANGLES ±0.5°		TITLE: BK-6317 Negative Coincell Contact Spring	
SIZE: B		DWG. NO.: BK-6317	REV: A
SCALE: 4:1		SHEET: 1 OF 1	